# Optics & Laser Technology

## Index to Volume 36 (2004)


No 1 (February) pp 1–85
No 2 (March) pp 87–171
No 3 (April) pp 173–258
No 4 (June) pp 259–344
No 5 (July) pp 345–429
No 6 (September) pp 431–516
No 7 (October) pp 517–601
No 8 (November) pp 603–679


Article Index

**Number 1**


Investigation of surface radius variation in design of a lens duct delivery system
*H. Golnabi* 1

Long-gauge length embedded fiber optic ultrasonic sensor for large-scale concrete structures
*L. Yuan, L. Zhou and W. Jin* 11

Output parameters and a spectral study of UV $Cu^+$ Ne–CuBr laser
*N.K. Vuchkov, K.A. Temelkov, P.V. Zahariev and N.V. Sabotinov* 19

A non-mixing technique for enhancement of the tuning range of Rhodamine 6G using Rhodamine B
*R. Khare and S.R. Daulatabad* 27

Diode-pumped passively Q-switched intracavity frequency doubled Nd:$GdVO_4$/KTP green laser
*J. Liu, J. Yang and J. He* 31

Dispersive optical constants of a-$Se_{100-x}Sb_x$ films
*E.-S.M. Farag* 35

Differential FBG sensor for temperature-compensated high-pressure (or displacement) measurement
*Y. Zhao, C. Yu and Y. Liao* 39

Theory and experiment of spatially and temporally partially coherent speckle shearing interferometry
*K.F. Wang and A.K. Tieu* 43

A diode-pumped passively Q-switched Nd:$GdVO_4$ laser with a GaAs saturable absorption
*L.J. Qin, X.L. Meng, Ch.L. Du, L. Zhu, B.Ch. Xu, H.Zh. Xu, F.Y. Jiang and Z.Sh. Shao* 47

Propagation properties of three-dimensional flattened Gaussian beams in uniaxially anisotropic crystals
*B. Lü and S. Luo* 51

Active long pulse shaping technique of pulsed $CO_2$ laser using multi-pulse discharge control
*Y.-S. Lee, H.-J. Chung, J.-H. Joung, E.-J. Kim and H.-J. Kim* 57

Measurement of wire diameter by optical diffraction
*S.A. Khodier* 63

Experimental study of a high power and high efficiency CW diode-side-pumped Nd:YAG laser
*H. Wang, W. Huang, Z. Zhou and H. Cao* 69

Generation of arbitrary waveforms with electro-optic pulse-shapers for high energy—multimode lasers
*A. Jolly and Ph. Estraillier* 75

The measurement of propagation delay in multimode optical fibre with pulse-reflection-oscillation method
*W.-C. Liu and M.-H. Lu* 81

Erratum to "$NO_x$ generation in laser-produced plasma in air as a function of dissipated energy" [Optics & Laser Technology 35 (2003) 543–546]
*M. Rahman and V. Cooray* 85


**Number 2**


Design and experimental characterisation of a DC-excited CW/repetitively pulsed sealed off $CO_2$ laser
*N. Khan and N. Mariun* 87

The temperature profile in the molten layer of a thin-film coated on a substrate induced by irradiation with a pulsed laser
*S.E.-S. Abd El-Ghany* 95

Sub-nanometric precision displacement sensing using low mass and rough surfaces as movable targets
*M. Virdee* 107

Volume-grating phase-shifting digital speckle pattern interferometry used for measurement of out-of-plane displacement field
*K.F. Wang and A.K. Tieu* 117

Passively Q-switched Nd:$GdVO_4$ laser with GaAs saturable absorber
*L. Pan, X. Hou, Y. Li and Y. Sun* 121

Preliminary studies of material surface cleaning with a multi-pulse passively Q-switched Nd:YAG laser
*C. Fenic, R. Dabu, A. Stratan, C. Blanaru, C. Ungureanu and C. Luculescu* 125

Temperature prediction for $CO_2$ laser heating of moving glass rods
*W. Tian and W.K.S. Chiu* 131

Theoretical study on line source laser-induced surface acoustic waves in two-layer structure in ablative regime
*Z.H. Shen, B.Q. Xu, X.W. Ni, J. Lu and S.Y. Zhang* 139

Effects of the polarizer parameters upon the performance of an optical current sensor
*Z.P. Wang, Q.B. Li, R.Y. Feng, H.L. Wang, Z.J. Huang and J.H. Shi* 145

Modified pinhole spatial filter producing a clean flat-topped beam
*P. Hariharan and A. Narayanan* 151

Rayleigh and hyper-Rayleigh scatterings in solution
*W.-X. Xu* 155

The measurement of refractive index profile and aberration of radial gradient index lens by using imaging method
*X. Sun, H. Ma, H. Ming, Z. Zheng, J. Yang and J. Xie* 163

Optimization of erbium-doped waveguide amplifier
*C. Jiang and Q. Zeng* 167


**Number 3**


Giant piezooptics effect in the ZnO–$Er^{3+}$ crystalline films deposited on the glasses

*J. Ebothe, W. Gruhn, A. Elhichou, I.V. Kityk, R. Dounia and M. Addou* 173
Temperature measurements using fiber optic polarization interferometer
*S.M. Jeon and Y.P. Kim* 181
Characterization of a dual wavelength fibre laser based-on dumbbell configuration
*F. Abdullah, B. Bouzid, M.A. Mahdi, C.L. Cheah, M.Z. Jamaludin and M.K. Abdullah* 187
Real-time fingerprint identification
*M.S. Alam, M. Akhteruzzaman and A.K. Cherrri* 191
Optical investigation of cavitation erosion by laser-induced bubble collapse
*X. Chen, R.Q. Xu, Z.H. Shen, J. Lu and X.W. Ni* 197
Adaptive station grouping: a highly efficient protocol for optical LANs
*G.I. Papadimitriou* 205
Novel optical film sensor design based on *p*-polarized reflectance
*Z. Gu and P. Liang* 211
Mathematical modeling of two-photon thermal fields in laser–solid interaction
*M. Oane and D. Apostol* 219
Optical characterization of the silicon photodiodes for the establishment of national radiometric standards
*M. Durak and M.H. Aslan* 223
TE $CO_2$ infrared emission apparatus with a half cavity
*M. Chen and Y. Li* 229
Joint effect of dispersions of reflection-induced retardance and Verdet constant upon the sensitivity of an optical current sensor
*Z.P. Wang, Q.B. Li, Y. Qi, Z.J. Huang and J.H. Shi* 233
Determination of solid materials rigidity modulus by a new nondestructive optical method
*N. Javahiraly, A. Chakari, L. Calegari and P. Meyrueis* 239
Low noise double pass L-band erbium-doped fiber amplifier
*S.W. Harun and H. Ahmad* 245
Analysis of speckle images to assess surface roughness
*A.M. Hamed, H. El-Ghandoor, F. El-Diasty and M. Saudy* 249
1.55 μm InGaAsP/InP tapered stripe superluminescent diodes with potential optical sensor system applications
*J.-H. Kim, S.-k. An, S.-J. Lee, J.-c. Bae, Y.-K. Choi and T.-H. Hong* 255

**Number 4**

Non-minimum phase reconstruction from amplitude data in fiber Bragg gratings using an adaptive simulated annealing algorithm
*C.Z. Shi, N. Zeng, M. Zhang, Y.B. Liao and S.R. Lai* 259
A diode-pumped linear intracavity frequency doubled Nd:YAG rod laser with 40 ns pulse width and 73 W green output power
*S. Lee, Y. Gi Kim, B.H. Cha and Y.K. Kim* 265
Light propagation in the multi-mode double-clad erbium: ytterbium co-doped fiber: theory and experiment
*G. Xia, J. Duan, S. Zhao and S. Dong* 273
A straightness measurement system using a single-mode fiber-coupled laser module
*Q. Feng, B. Zhang and C. Kuang* 279
Novel method for measurement of retardance of a quarter-wave plate
*Z.P. Wang, Q.B. Li, Q. Tan, Z.J. Huang and J.H. Shi* 285
Phase shifting SEM moiré method
*H. Xie, H. Shang, F. Dai, B. Li and Y. Xing* 291
Regimes of operation states in passively mode-locked fiber soliton ring laser
*Y.D. Gong, P. Shum, D.Y. Tang, C. Lu, X. Guo, V. Paulose, W.S. Man and H.Y. Tam* 299
Noncollinear optical parametric amplification in lithium triborate seeded by a cw Ti:sapphire laser
*H.-j. Liu, W. Zhao, G.-f. Chen, Y.-s. Wang, L.-j. Yu, C. Ruan and X.-f. Li* 309
Matched correlation sequence analysis in temporal speckle pattern interferometry
*X. Li, K. Wang and B. Deng* 315
Measurement of decay time based on FFT
*W. Sun, J. Zhang, L. Yu, Y. Zhang, Y. Xiang, L. Yuan, T. Sun and K.T.V. Grattan* 323
Reliable high-efficiency high-brightness laser diode bars at 940 nm
*H. Li, T. Truchan, D. Brown, R. Pryor, R. Pandey, F. Reinhardt, J. Mott, G. Treusch and S. Macomber* 327
The measurement of the electrical field distribution by external electro-optic measuring system with submicrometre spatial resolution
*H. Li, Z. Chen, G. Jia, X. Zhang and Y. Li* 331
Determination of piezoelectric coefficients of ferroelectric thin films using GaAs:Cr adaptive interferometer
*V.V. Spirin, I.A. Sokolov and K. No* 337
$LaCaMnO_3$ thin film laser energy/power meter
*P.-X. Zhang, C. Wang, G.Y. Zhang, L. Yu, W.K. Lee and H.-U. Habermeier* 341

**Number 5**

Interference effect of dual cylindrical microlenses with the closed boundary in dielectric incident space
*J.-S. Ye, B.-Z. Dong and B.-Y. Gu* 345
Noninvasive determination of tissue optical properties based on radiative transfer theory
*F. Zhang, B. Chen, S. Zhao, S. Yang, R. Chen and D. Song* 353
Effect of γ-radiation on the birefringence of stretched polyethylene films
*N.N. Nagib, S.A. Khodeir, A.A. Abd-El-Megeed and H.A. Soliman* 361
Multiplexed fiber optic sensors matrix demodulated by a white light interferometric Mach–Zehnder interrogator
*L.-B. Yuan* 365
Time-resolved imaging of latent fingerprints with nanosecond resolution
*L.K. Seah, U.S. Dinish, S.K. Ong, Z.X. Chao and V.M. Murukeshan* 371
Enclosed laser ablation of 20 nm aluminium films using a continuous wave diode laser: II—Theoretical heating considerations and proposed mechanisms
*R. Stewart and L. Li* 377
High-power Q-switched Nd:YAG laser mounted in a silicon microbench
*D. Evekull, J. Rydholm, S. Bjurshagen, L. Bäcklin, M. Kindlundh, L. Kjellberg, R. Koch and M. Olson* 383
A structured light-based system for human heads
*X.-F. Wu, D. Li, J. Gang and Z. Zhou* 387
Multi-objective optimisation of lidar parameters for forest-fire detection on the basis of a genetic algorithm
*A. Cordoba, R. Vilar, A. Lavrov, A.B. Utkin and A. Fernandes* 393
Beam alignment with the axis of a rotation stage for laser fabrication of microcircular structures
*S.-J. Jeong, S.-K. Lee and S.-H. Jeong* 401
Dressing of resin-bonded superabrasive grinding wheels by means of acousto-optic Q-switched pulsed Nd:YAG laser
*X.-Z. Xie, G.-Y. Chen and L.-J. Li* 409
Polarized light of 193 nm induced birefringence reduction fiber gratings
*W. Fan, Z.-q. Lin, B. Chen, Q.-q. Qiao, J.-l. Chen and X.-c. Li* 421
Does the beam width affect the generalized $M^2$ factor of hard-edged diffracted beams?
*B. Lü and S. Luo* 425

**Number 6**

Laser-induced vibration during pulsed laser forming
*H.-S. Hsieh and J. Lin* 431
Imaging and correlation used for guided laser lithotripsy
*J. Kokaj and J. Mathews* 441

Efficient blue laser generation at 473 nm by a BIBO crystal
*Q. Zheng and L. Zhao* 449
General representation of interference contrast formed by arbitrarily polarized waves and its application in wave design for holographic fabrication of photonic crystals
*L.Z. Cai, X.L. Yang and Q. Liu* 453
Changing photo-written Bragg wavelengths of fiber gratings via one phase mask and four mirrors
*C. Li, Y. Lu, S. Wu, Q.-t. Su and C.-w. Huang* 459
Energy transfer and excited state lifetime of some anthracene laser dyes
*R. Ghazy, S.A. Zim, M. Shaheen and F. El-Mekawey* 463
Surface profile measurement of low-frequency vibrating objects using temporal analysis of fringe pattern
*C.J. Tay, C. Quan, Y. Fu, L.J. Chen and H.M. Shang* 471
In-time motion adjustment in laser cladding manufacturing process for improving dimensional accuracy and surface finish of the formed part
*J. Liu and L. Li* 477
2.23 W diode-pumped Nd : $YVO_4$/LBO Laser at 671 nm
*Q. Zheng, J.-y. Wang and L. Zhao* 485
Propagation properties of vectorial elliptical Gaussian beams beyond the paraxial approximation
*K. Duan and B. Lü* 489
The structure of multi-electrode-pair pulse laser and discharge pulse time selection
*X.-Y. Li, Q. Cao and H.-L. Wang* 497
Spectral changes of diffracted polychromatic Gaussian beams in the far field
*L. Pan and B. Lü* 501
Determination of the refractive index of fibres using the modified area method: I. Homogeneous fibres
*T.Z.N. Sokkar and M.A. El-Bakary* 507
**Book reviews** 515

**Number 7**

Pulse linewidth and lifetime broadening study of multi-pulse pumped distributed feedback dye lasers
*N. Khan and T.A. Hall* 517
Numerical calculations of temperature distribution of double layer metallic surface treated by laser beams
*M. Soukieh, B.A. Ghani and M. Hammadi* 523
Second harmonic generation in $In_2O_3$–SiON films doped by Al and Sn
*I.V. Kityk, B. Sahraoui and K.J. Plucinski* 529
Surface roughness investigation of semiconductor wafers
*C.J. Tay, S.H. Wang, C. Quan, B.L. Ng and K.C. Chan* 535
Nonvolatile photorefractive holographic recording in Sc:Ce:Cu:$LiNbO_3$
*F.R. Ling, B. Wang, T. Geng, S.Q. Fang, W. Yuan, D.D. Teng and C.X. Guan* 541
Holographic optics-based interferometer for real-time testing of phase objects
*A.K. Aggarwal, S.K. Kaura, D.P. Chhachhia and A.K. Sharma* 545
Measurement of a broad range of Gaussian laser beam diameters using various periodic and aperiodic rulings
*H.A. Kamal and A.K. Cherri* 551
Wideband tunable linear-cavity fiber laser source using strain-induced chirped fiber Bragg grating
*J. Yang, S.C. Tjin and N.Q. Ngo* 561
A widely tunable hybrid brillouin-erbium fiber laser (BEFL) system
*M.K. Abdullah, S. Shaharudin, M.A. Mahdi and R. Endut* 567
Data-dependent system approach for strain measurement in interferometric fiber optic sensor
*S.K. Ghorai and S. Narayan* 571
Optical losses in dielectric apertured terahertz VCSEL
*Y.H. Yu, S.C. Lee, D.C. Kim, C. Zhang and P. Harrison* 575
Continuous-wave high-power Nd : YAG – $KNbO_3$ laser at 473 nm
*N. Pavel, I. Shoji and T. Taira* 581
Effect of dispersion of linear birefringence upon the sensitivity of an optical current sensor
*Z.P. Wang, Q.B. Li, Y. Qi, Z.J. Huang and J.H. Shi* 587
A new method for measuring electro-optical coefficients of the optically active crystals
*X. Yin, J. Wang, H.-j. Zhang, S.j. Zhang and h.-k. Kong* 591
Efficient intensity modulation due to surface acoustic waves on windows of the AlGaN/InGaN multiple quantum well laser
*S.M. Abrarov, T.W. Kang and T.W. Kim* 595
**Book review** 601

**Number 8**

Proton-exchanged optical waveguides fabricated by glutaric acid
*W.J. Liao, X. Chen, F. Chen, Y. Chen, Y. Xia and Y. Chen* 603
A global design of an erbium-doped fiber and an erbium-doped fiber amplifier
*C. Cheng* 607
A simple method for clock recovery
*T. Wang, C. Lou, L. Huo, Z. Wang and Y. Gao* 613
Measurement of apex angle of the prism using total internal reflection
*A.M. Ghodgaonkar and R.D. Tewari* 617
Design of photonic band gap structures through a dual-beam multiple exposure technique
*R.C. Gauthier and K.W. Mnaymneh* 625
Numerical modeling and theoretical analysis of femtosecond laser tweezers
*Q. Xing, F. Mao, L. Chai and Q. Wang* 635
Optical evaluation of ingot fixity in semiconductor wafer slicing
*T.W. Ng and R. Nallathamby* 641
Power scaling of printed-circuit-board preionized TEA $CO_2$ laser up to 3.6 kW
*C. Wan, S. Liu, R. Tan, J. Wu, J. Zhou, Y. Lv, Y. Yu and H. Yang* 647
High-sensitivity piezoelectric tube sensor for shear-force detection in scanning near-field optical microscopy
*K. Lindfors, M. Kapulainen, P. Ryytty and M. Kaivola* 651
Fabrication techniques for Polymer/Si optical waveguide
*Y. Zhao, D.M. Zhang, F. Wang, Z.C. Cui, M.B. Yi, C.S. Ma, W.B. Guo and S.Y. Liu* 657
Laser diagnostics of nanoscale dielectric films on transparent substrate by integrating differential reflectivity and ellipsometry
*P. Adamson* 661
Electrical pumping of a third-order mode semiconductor laser
*N.G. Semaltianos, A. De Rossi, B. Vinter, V. Berger, M. Calligaro and V. Ortiz* 669
The role of surface absorption coefficient in the thermal field of the laser–thin film interaction
*M. Oane, I. Morjan and R. Medianu* 677
Index to Volume 36 (2004) I
Author Index IV
Keyword Index VI

## Author Index


Abd El-Ghany, S.E.-S., 95
Abd-El-Megeed, A.A., 361
Abdul Ghani, B., 523
Abdullah, F., 187
Abdullah, M.K., 187, 567
Abrarov, S.M., 595
Adamson, P., 661
Addou, M., 173
Aggarwal, A.K., 545
Ahmad, H., 245
Akhteruzzaman, M., 191
Alam, M.S., 191
An, S.-k., 255
Apostol, D., 219
Aslan, M.H., 223

Bäcklin, L., 383
Bae, J.-c., 255
Berger, V., 669
Bjurshagen, S., 383
Blanaru, C., 125
Bouzid, B., 187
Brown, D., 327

Cai, L.Z., 453
Calegari, L., 239
Calligaro, M., 669
Cao, H., 69
Cao, Q., 497
Cha, B.H., 265
Chai, L., 635
Chakari, A., 239
Chan, K.C., 535
Chao, Z.X., 371
Cheah, C.L., 187
Chen, B., 353, 421
Chen, F., 603
Chen, G.-f., 309
Chen, G.-Y., 409
Chen, J.-l., 421
Chen, L.J., 471
Chen, M., 229
Chen, R., 353
Chen, X., 197, 603
Chen, Y., 603, 603
Chen, Z., 331
Cheng, C., 607
Cherri, A.K., 551
Cherrri, A.K., 191
Chhachhia, D.P., 545
Chiu, W.K.S., 131
Choi, Y.-K., 255
Chung, H.-J., 57
Cooray, V., 85
Cordoba, A., 393
Cui, Z.C., 657

Dabu, R., 125
Dai, F., 291
Daulatabad, S.R., 27
De Rossi, A., 669
Deng, B., 315
Dinish, U.S., 371
Dong, B.-Z., 345
Dong, S., 273
Dounia, R., 173
Du, Ch.L., 47
Duan, J., 273
Duan, K., 489
Durak, M., 223

Ebothe, J., 173
El-Bakary, M.A., 507
El-Diasty, F., 249
El-Ghandoor, H., 249
Elhichou, A., 173
El-Mekawey, F., 463
Endut, R., 567
Estraillier, Ph., 75
Evekull, D., 383

Fan, W., 421
Fang, S.Q., 541
Farag, E.-S.M., 35
Feng, Q., 279
Feng, R.Y., 145
Fenic, C., 125
Fernandes, A., 393
Fu, Y., 471

Gang, J., 387
Gao, Y., 613
Gauthier, R.C., 625
Geng, T., 541
Ghazy, R., 463
Ghodgaonkar, A.M., 617
Ghorai, S.K., 571
Gi Kim, Y., 265
Golnabi, H., 1
Gong, Y.D., 299
Grattan, K.T.V., 323, 515
Gruhn, W., 173
Gu, B.-Y., 345
Gu, Z., 211
Guan, C.X., 541
Guo, W.B., 657
Guo, X., 299

Habermeier, H.-U., 341
Hall, T.A., 517
Hamed, A.M., 249
Hammadi, M., 523
Hariharan, P., 151
Harrison, P., 575
Harun, S.W., 245
He, J., 31
Hong, T.-H., 255
Hou, X., 121
Hsieh, H.-S., 431
Huang, C.-w., 459
Huang, W., 69
Huang, Z.J., 145, 233, 285, 587
Huo, L., 613

Jamaludin, M.Z., 187
Javahiraly, N., 239
Jeon, S.M., 181
Jeong, S.-H., 401
Jeong, S.-J., 401
Jia, G., 331
Jiang, C., 167
Jiang, F.Y., 47
Jin, W., 11
Jolly, A., 75
Joung, J.-H., 57

Kaivola, M., 651
Kamal, H.A., 551
Kang, T.W., 595
Kapadia, P., 515, 516
Kapulainen, M., 651
Kaura, S.K., 545
Khan, N., 87, 517
Khare, R., 27
Khodeir, S.A., 361
Khodier, S.A., 63
Kim, D.C., 575
Kim, E.-J., 57
Kim, H.-J., 57
Kim, J.-H., 255
Kim, T.W., 595
Kim, Y.K., 265
Kim, Y.P., 181
Kindlundh, M., 383
Kityk, I.V., 173, 529
Kjellberg, L., 383
Koch, R., 383
Kokaj, J., 441
Kong, h.-k., 591
Kuang, C., 279

Lai, S.R., 259
Lavrov, A., 393
Lee, S., 265
Lee, S.C., 575
Lee, S.-J., 255
Lee, S.-K., 401
Lee, W.K., 341
Lee, Y.-S., 57
Li, B., 291
Li, C., 459
Li, D., 387
Li, H., 327, 331
Li, L., 377, 477
Li, L.-J., 409
Li, Q.B., 145, 233, 285, 587
Li, X., 315
Li, X.-c., 421
Li, X.-f., 309
Li, X.-Y., 497
Li, Y., 121, 229, 331
Liang, P., 211
Liao, W.J., 603
Liao, Y., 39
Liao, Y.B., 259
Lin, J., 431
Lin, Z.-q., 421
Lindfors, K., 651
Ling, F.R., 541
Liu, H.-j., 309
Liu, J., 31, 477
Liu, Q., 453
Liu, S., 647
Liu, S.Y., 657
Liu, W.-C., 81
Lou, C., 613
Lü, 51, B., 425, 489, 501
Lu, C., 299
Lu, J., 139, 197
Lu, M.-H., 81
Lu, Y., 459

Luculescu, C., 125
Luo, S., 51, 425
Lv, Y., 647

Ma, C.S., 657
Ma, H., 163
Macomber, S., 327
Mahdi, M.A., 187, 567
Man, W.S., 299
Mao, F., 635
Mariun, N., 87
Mathews, J., 441
Medianu, R., 677
Meng, X.L., 47
Meyrueis, P., 239
Ming, H., 163
Mnaymneh, K.W., 625
Morjan, I., 677
Mott, J., 327
Murukeshan, V.M., 371

Nagib, N.N., 361
Nallathamby, R., 641
Narayan, S., 571
Narayanan, A., 151
Ng, B.L., 535
Ng, T.W., 641
Ngo, N.Q., 561
Ni, X.W., 139, 197
No, K., 337

Oane, M., 219, 677
Olson, M., 383
Ong, S.K., 371
Opower, H., 601
Ortiz, V., 669

Pan, L., 121, 501
Pandey, R., 327
Papadimitriou, G.I., 205
Paulose, V., 299
Pavel, N., 581
Plucinski, K.J., 529
Pryor, R., 327

Qi, Y., 233, 587
Qiao, Q.-q., 421
Qin, L.J., 47
Quan, C., 471, 535

Rahman, M., 85
Reinhardt, F., 327
Ruan, C., 309
Rydholm, J., 383
Ryytty, P., 651

Sabotinov, N.V., 19
Sahraoui, B., 529
Saudy, M., 249
Seah, L.K., 371
Semaltianos, N.G., 669
Shaharudin, S., 567
Shaheen, M., 463
Shang, H., 291
Shang, H.M., 471
Shao, Z.Sh. 47
Sharma, A.K., 545
Shen, Z.H., 139, 197
Shi, C.Z., 259
Shi, J.H., 145, 233, 285, 587
Shoji, I., 581
Shum, P., 299
Sokkar, T.Z.N., 507
Sokolov, I.A., 337
Soliman, H.A., 361
Song, D., 353
Soukieh, M., 523
Spirin, V.V., 337
Stewart, R., 377
Stratan, A., 125
Su, Q.-t., 459
Sun, T., 323
Sun, W., 323
Sun, X., 163
Sun, Y., 121

Taira, T., 581
Tam, H.Y., 299
Tan, Q., 285
Tan, R., 647
Tang, D.Y., 299
Tay, C.J., 471, 535
Temelkov, K.A., 19
Teng, D.D., 541
Tewari, R.D., 617
Tian, W., 131
Tieu, A.K., 43, 117
Tjin, S.C., 561
Treusch, G., 327
Truchan, T., 327

Ungureanu, C., 125
Utkin, A.B., 393

Vilar, R., 393
Vinter, B., 669
Virdee, M., 107
Vuchkov, N.K., 19

Wan, C., 647
Wang, B., 541
Wang, C., 341
Wang, F., 657
Wang, H., 69
Wang, H.L., 145
Wang, H.-L., 497
Wang, J., 591
Wang, J.-y., 485
Wang, K., 315
Wang, K.F., 43, 117
Wang, Q., 635
Wang, S.H., 535
Wang, T., 613
Wang, Y.-s., 309
Wang, Z., 613
Wang, Z.P., 145, 233, 285, 587
Wu, J., 647
Wu, S., 459
Wu, X.-F., 387

Xia, G., 273
Xia, Y., 603
Xiang, Y., 323
Xie, H., 291
Xie, J., 163
Xie, X.-Z., 409
Xing, Q., 635
Xing, Y., 291
Xu, B.Ch., 47
Xu, B.Q., 139
Xu, H.Zh., 47
Xu, R.Q., 197
Xu, W.-X., 155

Yang, H., 647
Yang, J., 31, 163, 561
Yang, S., 353
Yang, X.L., 453
Ye, J.-S., 345
Yi, M.B., 657
Yin, X., 591
Yu, C., 39
Yu, L., 323, 341
Yu, L.-j., 309
Yu, Y., 647
Yu, Y.H., 575
Yuan, L., 11, 323
Yuan, L.-B., 365
Yuan, W., 541

Zahariev, P.V., 19
Zeng, N., 259
Zeng, Q., 167
Zhang, B., 279
Zhang, C., 575
Zhang, D.M., 657
Zhang, F., 353
Zhang, G.Y., 341
Zhang, H., 591
Zhang, J., 323
Zhang, M., 259
Zhang, P.-X., 341
Zhang, S.j., 591
Zhang, S.Y., 139
Zhang, X., 331
Zhang, Y., 323
Zhao, L., 449, 485
Zhao, S., 273, 353
Zhao, W., 309
Zhao, Y., 39, 657
Zheng, Q., 449, 485
Zheng, Z., 163
Zhou, J., 647
Zhou, L., 11
Zhou, Z., 69, 387
Zhu, L., 47
Zim, S.A., 463

## Keyword Index

193 nm UV light, 421

3R regeneration, 613

Aberration, 163
Ablation, 377
Ablation rate, 125
Absorption loss, 657
Acousto-optic Q-switched, 409
Adaptive photodetectors, 337
Adaptive simulated annealing, 259
Adaptive station grouping, 205
Aluminium, 377
Amorphous, 35
Anisotropy, 51
Antireflection coating, 595
Area method, 507
ASE, 273
Atomic force microscope (AFM), 535

Bandwidth, 459, 607
Beam characteristics, 669
Beam width, 425, 489
Beamexpansion, 151
BIBO, 449
Birefringence, 361, 421
Blue laser, 449
Blue light, 581
Bragg grating, 517
Bragg wavelength, 459
Brillouin-erbium fiber lasers, 567
Bursty traffic, 205

Cavitation bubble, 197
Circular structure, 401
Clock recovery, 613
$CO_2$ laser, 87, 229
$CO_2$ laser heating, 131
Coherence area, 43
Copper bromine laser, 19
Correlation, 441
Coupled resonator, 27
CW laser, 87
Cylindrical microlens, 345

Data-dependent system, 571
Decay time, 323
Defect, 477
Deformation measurement, 315
Design of specific laser systems, 669
DFDL, 517
Diameter measurement, 63
Dielectric incident space, 345
Differential measurement, 39
Differential reflectivity, 661
Diffraction, 575
Diffraction by the aperture, 501
Digital speckle pattern interferometry, 117
Dimensional accuracy, 477
Diode, 377
Diode laser, 1
Diode pumping, 581
Diode-pumped, 31, 47, 449
Diode-side-pumped, 69
Discharge pulse time, 497
Discrete Fourier transform (DFT), 323
Dispersion, 233, 587
Displacement, 39
Displacement derivative, 43
Displacement sensing, 107
Divergence angle, 489
Double pass EDFA, 245
Double-clad fiber, 273
Dual wavelength, 187
Dual-beam multiple exposure, 625
Dual-microlens-interference system, 345
DWDM sources, 567
Dynamic response, 471

Elastooptics, 173
Electro-optic coefficient, 591
Electro-optic measurement, 331
Electro-optical pulse shaping, 75
Ellipsometry, 661
Elliptical waves, 453
Enclosed, 377
Energy transfer, 463
Erbium-doped fiber, 607
Erbium-doped fiber amplifier, 607
Erbium-doped fibre amplifier, 245
Erbium-doped glass, 167
Eye-safe lidar, 393

Far field, 501
Faraday effect, 145, 233, 587
Fast Fourier transform (FFT), 323
Fiber, 181
Fiber Bragg grating, 39, 259, 459, 561
Fiber grating, 421
Fiber laser, 561
Fiber optic Fizeau interferometer, 11
Fiber optic interferometric sensor, 571
Fiber-optic sensors, 11, 145, 365
Fibre break locator, 81
Fibre group delay measurement, 81
Fibre laser, 187
Fibre length measurement, 81
Fingerprint, 191
Finite volume method, 131
Flattened Gaussian beam (FGB), 51
Fluorescence lifetime, 371
Fluorescence temperature sensor, 323
Force sensor, 197
Forest fire detection, 393
Fourier transform, 551
F–P filter, 613
Frequency conversion, 485
Fringe contrast, 453
Fringe projection, 471
Fusion of correlation signals, 441

$\gamma$-radiation, 361
GaAs, 47, 121
Gain, 607
Gain bandwidth, 309
Gaussian beam, 551
Generalized $M^2$ factor, 425
Genetic algorithm, 393
Glass, 131
Glutaric acid, 603
Green laser, 31
GRIN, 163

Half cavity, 229
Hard-edged diffracted beam, 425
Harmonic vibration, 315
Heat equation, 677
High efficiency, 69
High-speed imaging, 471
Holographic grating, 291
Holographic recording, 541
Holography, 545
Human heads, 387
Hyper-Rayleigh scattering, 155

III–V Semiconductors, 327
Image processing, 387
Imaging, 163, 441
Ingot fixity, 641
Intensity modulation, 595
Interference, 453
Interferometer, 181
Interferometry, 545
In-time motion adjustment, 477
Intracavity frequency-doubling, 581
IR optical materials, 219
Irradiance distribution, 489
Isosceles triangle cantilever, 39

Joint transformcorrelator, 191
Jones matrix, 285

$La_3Ga_{5.5}Nb_{0.5}O_{14}$ (LGN), 591
$La_3Ga_{5.5}Ta_{0.5}Si_{14}$ (LGT), 591
$La_3Ga_5SiO_{14}$ (LGS), 591
L-band, 245
$LaCaMnO_3$, 341
Laser beam alignment, 401
Laser beams, 151, 523
Laser characterization, 651
Laser cladding, 477
Laser diodes, 595, 669
Laser dressing, 409
Laser dyes, 463
Laser microfabrication, 401
Laser pulse shape, 57
Laser tweezers, 635
Laser-induced vibration, 431
Lasers, 139, 377, 463, 575
Lasers diode-pumped, 383
Latent fingerprints, 371
LBO, 485
Lens duct, 1
Lifetime, 463
Light propagation, 273
Light scattering, 535
Linear birefringence, 587
Linear cavity, 187
Liquid-jet impact, 197
Lithium niobate, 603
LIV, 341
Low mass targets and suitable in hostile environments, 107

Mach–Zehnder interferometer, 365
Matched correlation, 315
Mediumaccess control protocols, 205
MEMS, 291

Metal vapour laser, 19
Metallic surface, 523
Micro-strip lines, 75
Microstructure fabrication, 383, 453
Mirror, 459
Multi-electrode pair, 497
Multiple-beam Fizeazu fringes, 507
Multiplexing technique, 365
Multi-pulse passively Q-switched laser, 125
Multi-pulse superposition, 57
Multiwavelength sources, 567

Nanometric precision, 107
Nanoscale films, 661
Nd:$GdVO_4$, 31, 47, 121
Nd:YAG laser, 69, 265, 581
Near-field pattern, 657
Noise figure improvement, 245
Noncollinear optical parametric amplification, 309
Non-contact measurement, 535
Non-contacting, 107
Nonlinear optics, 155
Nonlinear waveguides, 669
Non-optical shear-force detection, 651
Non-paraxial vectorial elliptical beam, 489

Optical activity, 591
Optical beam deflection, 197
Optical communication, 245
Optical current sensors, 145, 233, 587
Optical deflection, 641
Optical diagnostics, 661
Optical diffraction, 63
Optical fiber lasers, 299
Optical fiber solitons, 299
Optical Imsensor, 211
Optical metrology, 641
Optical parameter, 211
Optical property, 35
Optical pulse generation and pulse compression, 299
Optical pumping, 1
Optical sensor, 255
Optical testing instruments, 545
Optical trapping, 635
Optical triangulation techniques, 387
Optimization, 607
Out-of-plane displacement, 117

Parameter optimization, 167
Parametric bandwidth, 309
Passively Q-switched, 31, 47, 121
Phase extraction, 571
Phase mask, 459
Phase quadrature, 107
Phase reconstruction, 259
Phase shifting, 117, 315
Phase shifting technique, 291
Photo-conductors, 75
Photonic band gaps, 625
Photonic crystals, 453
Piezoelectric coefficient, 337
Piezooptics, Photoinduced effects, 173
Polarization, 181, 453
Polarization and sensor, 239
Polarized light, 421
Polychromatic Gaussian beam, 501
Polyethylene, 361
Polymer, 163, 377
Polymer optical waveguide, 657
Polypropylene fibres, 507
Power meter, 341
Power scaling, 647
Power supply, 57
*p*-Polarized reflectance, 211
Pressure measurement, 39
Printed-circuit-board preionizer, 647
Profile intensity, and power, 669
Propagation, 51
Proton exchange, 603
Pulse forming network (PFN), 57
Pulsed $CO_2$ laser, 57
Pulsed laser forming, 431
PZT thin films, 337

Q-switched, 383
Quadrant photodiode detector, 279
Quantum well lasers, 327

Radiative diffusion approximation, 131
Radiative transfer, 353
Ray tracing, 1
Rayleigh scattering, 155
Reactive ion etching, 657
Red laser, 485
Reflected radiances, 353
Reflection-induced retardance, 233
Refraction, 507
Refractive index, 163
Refractive indices, 507
Repetitively pulsed laser, 87
Retardance, 285, 361
Retarder, 181
Rhodamine 6G, 27
Rhodamine B, 27
Rigidity modulus, 239
Rotating spark gap, 647
Rotation axis, 401
Rough and retro-reflecting surfaces, 107
Ruling, 551

SAW, 139
Scanning near-field optical microscopy, 651
Sc:Ce:Cu:$LiNbO_3$ crystal, 541
$Se_{100-x}Sb_x$, 35
Sealed o laser, 87
Second harmonic generation, 265, 529
SEM scanning moiré method, 291
Semiconductor laser arrays, 327
Semiconductor lasers, 575, 669
Sensor, 181
Sensors matrix, 365
Shadowgraph, 441
Shape from silhouette, 387
Signal to noise ratio of binary images, 249
Silicon photodiodes, 223
Simulation, 323
Single-mode fiber-coupled laser module, 279
SLD, 255
Solid immersion lens, 331
spatial pattern formation, 669
Spatial resolution, 331
Spatial uniformity, 223
Spatially and temporally partially coherent speckle, 43
Speckle images, 249
Speckle shearing interferometry, 43
Spectral changes, 501
Spectral responsivity, 223
Spectral switch, 501
Spectral width and lifetime broadening, 517
Sputtering aluminum, 657
Straightness measurement, 279
Strain, 291, 561
Structured light, 387
Sub-nanometric resolutions, 107
Superabrasive grinding wheels, 409
Surface absorption, 677
Surface acoustic waves, 595
Surface cleaning, 125
Surface curvature, 1
Surface finish, 477
Surface roughness, 43, 249, 535
Synthetic discriminant, 191

Tapered stripe, 255
TE, 229
TEA $CO_2$ laser, 497
Temperature, 181
Temperature distribution, 523
Temperature grating, 517
Temperature profiles, 219
Temperature-compensated measurement, 39
Template structures, 625
Temporal phase analysis, 471
Temporal speckle pattern interferometry, 315
Terahertz laser, 575
Thin film, 35, 677
Thin films SiON, 529
Time correlated single photon counting (TCSPC), 371
Time-resolved method, 371
Tissue optical properties, 353
Total integrated scattering (TIS), 535
Transmittance, 551
Trap detectors, 223
Truncation parameter, 425
Tuning, 561
Two-beam interference, 507
Two-layer structure, 139
Two-photon absorption, 219
Two-photon fixed method, 541
Two-rod resonator, 265

Ultrafast pulse, 635
Ultrasonic, 11
Uncertainty analyses, 63
Uniaxial crystal, 51
Uniformillumination, 151
UV copper ion laser, 19

Vectorial Rayleigh diffraction integral, 489
Volume grating, 117

Wafer slicing, 641
Wave plate, 285
Waveguide amplifier, 167
WDM Passive Star Networks, 205
White light interferometer, 365
Widely tuneable lasers, 567

Xenon lamp, 121